



# 32 Channel Network Video Recorder

MODEL: VIGI NVR4032H



**H.265+**

VIGI NVR4032H



**4 HDD (Up to 16 TB  
Each)<sup>†</sup> Store and Recall  
Everything**



Smart Detection



Two-Way Audio



Onvif



Face Recognition\*



Smart Search by  
Motion and Object\*

## Overview

### VIGI Surveillance Solution

The VIGI professional surveillance system by TP-Link is dedicated to protecting the business that you've worked hard to build—whenever, wherever. Our outstanding functions, reliable quality guarantees, and simplified installation work together to ensure your business stays safe and sound.

## Highlight



#### **32-Channel Live View**

Ensure a real-time display of every monitored area on one screen and take everything under your control.



#### **4K Video Output**

Show more details with up to 8MP resolution for one channel and 16-ch@2MP/ 8-ch@4MP decoding capacity in total for all channels



#### **Mass Storage**

4 SATA interfaces (up to 16 TB capability per HDD) ensure to store and secure your data for quick, convenient access.



#### **Easy Management**

Seamlessly manage the NVR and connected cameras via the web UI, NVR UI, VIGI app, and VIGI Security Manager. Customize the management systems to suit your specific needs.



#### **Face Recognition\***


From attendance to security, the VIGI NVR with built-in Intelligent face recognition allows you to recognize and classify visitors, staff and strangers, and maximize security.



#### **Smart Search by Motion and Object\***

Efficiently search out and review certain video clips by motion type, characteristics of person/vehicle, tag, and more.

# Network Topology



1. Power Supply
2. 16 × ALARM IN for Alarm Detectors Connection, Such as Smoke Detector
3. 4 × ALARM OUT for External Alarm Devices Connection, Such as Warning Light, and Alarm Bell
4. Two Forms of RS-232 Ports to Debug and Pass Through Serial Data
5. AUDIO IN and AUDIO OUT for Two-Way Audio
6. 2 × LAN Ports for Ethernet Connection
7. HDMI and VGA Ports for Independent Video Output
8. 1 × USB 3.0 (Rear) Port and 2 × USB 2.0 (Front) Ports for Mouse, Keyboard, or Mobile Hard Disk Connection<sup>†</sup>

\*These features are in development and will update with future software iterations.

<sup>†</sup>A hard disk drive (not included) must be installed for operation.

©2024 TP-Link

# Specifications

| Model           | VIGI NVR4032H          |  |
|-----------------|------------------------|--|
| Video and Audio | IP Video Input         | 32-Channel   |
|                 | Incoming Bandwidth     | 320 Mbps   |
|                 | Outgoing Bandwidth     | 320 Mbps   |
|                 | Recording Resolution   | 8MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF  |
|                 | HDMI Output Resolution | 1 Channel, Resolution: 3840x2160/30Hz, 1920x1080/60Hz, 1680x1050/60Hz, 1440x900/60Hz, 1280x1024/60Hz, 1280x720/60Hz, 1024x768/60Hz |
|                 | VGA Output Resolution  | 1 Channel, Resolution: 1920x1080/60Hz, 1680x1050/60Hz, 1440x900/60Hz, 1280x1024/60Hz, 1280x720/60Hz, 1024x768/60Hz                 |
|                 | Video Output Mode      | HDMI/VGA Independent Output  |
|                 | Multi-View Display     | 1/4/6/8/9/16/25/32/36  |
| Decoding        | Audio Compression      | G.711A/G.711U/G.726  |
|                 | Video Compression      | H.265+/H.265/ H.264+/H.264   |
|                 | Record Resolution      | 8MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF  |
|                 | Synchronous Playback   | 16-Channel <sup>†</sup>  |
|                 | Capability             | 4-ch@8MP (25fps), 6-ch@5MP (25fps), 8-ch@4MP (25fps), 10-ch@3MP (25fps), 16-ch@1080P (25fps)                                       |
| Network         | Protocols              | UPnP (Plug and Play), NTP (Network Timing), TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, RTSP, SSL/TLS, RTP, IPv4, ARP                    |
|                 | Interoperability       | ONVIF Profile S, CGI   |
|                 | Mobile Phone Access    | Android, iOS   |
|                 | Web Browser            | Chrome (57+), Firefox (52+), Edge (91+)  |
| Hard Disk       | SATA                   | 4 SATA Interfaces  |
|                 | Capacity               | Up to 16 TB Capacity for Each HDD*   |

|                    |                   |  |
|--------------------|-------------------|--|
| Record Management  | Record Mode       | Manual Recording, Scheduling Recording, Motion Detection Recording   |
|                    | Playback Mode     | Instant Playback, Regular Playback, Tag Playback, Event Playback   |
|                    | Backup Mode       | Regular Backup, Video Clip Backup  |
|                    | Playback Function | Play, Pause, Stop, Fast Forward, Fast Backward, Play by Frame, Full Screen, Video Clip, Export Clip, Digital Zoom, Lock Recording, Audio On/Off  |
| Alarm              | General Alarm     | Motion Detection, Video Tampering, Intrusion Detection, Line-Crossing Detection, Region Entering Detection, Region Exiting Detection, Object Abandoned/Removal Detection, Vehicle Detection, Human Detection<br>Note: The alarm function requires the use of a camera. |
|                    | Anomaly Alarm     | Video Loss, Offline and IP Conflict, Disk Exception, Login Exception, Fan Exception<br>Note: The alarm function requires the use of a camera.  |
|                    | Alarm Linkage     | Recording, White Light Alarm, Buzzer, Log, Audible Alarm<br>Note: The alarm function requires the use of a camera.   |
| External Interface | Network Interface | 2, RJ-45 10/100/1000 Mbps Self-Adaptive Ethernet Interface   |
|                    | USB Interface     | 2 Front USB 2.0 Ports, 1 Rear USB 3.0 Port   |
|                    | Audio Interface   | 1-ch RCA Input; 1-ch RCA Output  |
|                    | Alarm In/Out      | 16/4   |
|                    | Serial Interface  | 1, RS232   |
|                    | Power             | 1× AC Jack   |
|                    | Reset Button      | 1  |
|                    | Speaker           | N/A  |
|                    | eSATA             | N/A  |
|                    | HDMI              | 1  |
|                    | VGA               | 1  |

|         |                                      |  |
|---------|--------------------------------------|--|
| General | Storage Temperature                  | -40~70 °C  |
|         | Storage Humidity                     | 10%~90% RH Non-Condensing  |
|         | Package Contents                     | VIGI Network Video Recorder, Mouse, Installation Guide, Power Cord, HDD Power Cables, HDD Data Cables, Terminal Blocks, Mounting Brackets, Screws, Rubber Feet |
|         | External Power Supply                | 100-240 VAC, 50 to 60HZ, 1.5A  |
|         | Max Power Consumption (Without Disk) | 5 W  |
|         | Max Power Consumption (With Disk)    | 48 W   |
|         | Working Temperature                  | <ul style="list-style-type: none"> <li>• NVR: -10~55 °C</li> <li>• Power Adapter: 0~40 °C</li> </ul>   |
|         | Working Humidity                     | 10%~90% RH Non-Condensing  |
|         | Dimensions (W X D X H)               | 440 × 330 × 44 mm  |
|         | Net Weight                           | 4.0 Kg <sup>§</sup>  |
|         | Gross Weight                         | 5.2 Kg <sup>§</sup>  |
|         | Power Supply                         | 100-240 VAC, 50 to 60HZ, 1.5A  |
|         | Power Consumption                    | <ul style="list-style-type: none"> <li>• 5 W (Without Disk)</li> <li>• 48 W (With Disk)</li> </ul>   |
|         | Certifications                       | CE, EAC, UKCA, RCM, Triman, RoHS, VCCI, FCC, IC, HDMI  |



†The number of simultaneously playable channels may be fewer than 16, or none, if the total resolution exceeds 32MP.

\*HDD is not included.

‡This model currently supports ONVIF Profile S.

§Due to the weight of this model, it is recommended to use a tray when mounting the rack with angle iron. Please note that the tray is not included.