


CAT6A 10 Gigabit Slim Patch Cord, U/FTP, flat, red



DESCRIPTION

The new CAT6A SLIMpatchcables from the brand SLIM® set new standards in network technology. These thin cables, with their extremely flexible and thin design, now also facilitate patching for 10 Gigabit applications.

These flat patch cords are twisted in pairs, shielded, meet the requirements to transmit 10, 100, 1000MBit and now even 10 Gigabit.

It is also possible to transfer Power over Ethernet on IEEE802.3af and IEEE802.3at Standards. In addition, this cable has developed by us, special boot design which is characterized by simple press the latch and the narrow and short design.

FEATURES

- Category 6A Patchcord
- For 10 Gigabit Datatransfer use
- Testet with Fluke Patchcord Tester and in Channel
- Shield: U/FTP shielded
- Colour: Red, similar RAL3020
- 4-pairs twisted
- Wires: AWG32 100% copper
- Coating: PVC
- 9 different length
- Innovative boot design

CAT6A 10 Gigabit Slim Patch Cord, U/FTP, flat, red

PRODUCT FEATURES

Fire retardant version	No
AWG-size	AWG32
Pining	TIA/EIA 568 B
Color	Red
Color anti-kink sleeve	Red
Halogen free according to EN IEC 60754-1	No
Halogen free according to EN IEC 60754-2	No
Halogen free according to EN IEC 60754-3	No
Cable construction	4x2
Cable Structure	6,1 mm x 1,85 mm
Cable Type	U/FTP
Category	CAT.6A (IEC)
Anti-kink sleeve	Moulded-on
Copper Cable Construction	4x2xAWG32/7
Length	0.1 m / 0.25 m / 0.5 m / 1 m / 1.5 m / 2 m / 3 m / 5 m / 7 m
Coating	PVC
Color outer sheath	Red
max. Data Transfer	10 Gigabit
Oil resistant according to EN IEC 60811-404	No
Pin assignment	1:1
PoE	Yes
Locking lever	Yes
Shield	U/FTP shielded
Type of Connector Connection 1	RJ45 8(8)
Type of Connector Connection 2	RJ45 8(8)

APPLICATION

Typical fields of application for SLIMpatchcables:

- Overcrowded server or network cabinets or cable channels
- Switches with high port densities: with very short cables, it is easy to patch from switch to switch or switch to panel without a cable management panel
- Connection of terminal devices at the table (VoIP phones, Printer, PC, Notebook), as the cables are extremely flexible and therefore easy to lay on a desk
- Industrial applications where Ethernet connectivity is required but space is limited
- As a patch cord in the Notebook bag for Technicians and Field Staff
- In a private environment, to lay a patch cord under the carpet, the chair rail or even through a window seal

PRODUCT NUMBER		EAN Code
PKW-STP-SLIM-K6A 0.1 RT	0.1 Meter	9120072485787
PKW-STP-SLIM-K6A 0.25 RT	0.25 Meter	9120072485800
PKW-STP-SLIM-K6A 0.5 RT	0.5 Meter	9120072485824
PKW-STP-SLIM-K6A 1.0 RT	1.0 Meter	9120072485848
PKW-STP-SLIM-K6A 1.5 RT	1.5 Meter	9120072485862
PKW-STP-SLIM-K6A 2.0 RT	2.0 Meter	9120072485886
PKW-STP-SLIM-K6A 3.0 RT	3.0 Meter	9120072485909

CAT6A 10 Gigabit Slim Patch Cord, U/FTP, flat, red

PKW-STP-SLIM-K6A 5.0 RT	5.0 Meter	9120072485923
PKW-STP-SLIM-K6A 7.0 RT	7.0 Meter	9120072485947